



Recreational Waters Bacterial (Enterococci) Monitoring Program Site Status Overview November 2015 - Metropolitan Ocean

LGA/ Managing Authority	Water Body	Site Code	Site Name	Result Years	No. Samples	95th %tile	Microbial Assess Category (MAC)	1-off Trigger Level (99th %tile)	2-in-a-row Trigger Level (90th %tile)	Sanitary Assess Category (SAC)	Provisional Class	Provisional Colour	SAC Status Actions	Min No. Samples Rqd 2015-2016
City of Cockburn	Marina	CK3/997	Port Coogee Marina	2011-2015	81	110	B	5954	46	Moderate - F/U	Good	Green	Collect 10 rainfall (within 24-48hrs) samples	13
City of Cockburn	Ocean	EV3/709	Coogee Beach	2010-2015	74	8	A	37	15	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24-48hrs) samples	5
City of Cockburn	Ocean	EV3/710	C.Y.O'Connor Beach	2010-2015	78	120	B	425	62	High	Fair (a)	Amber	Management Action: Erect permanent warning signs - elevated bacterial levels rainfall events	13
City of Cockburn	Ocean	EV3/752	Jervoise Bay Beach	2010-2015	79	70	B	3283	37	Moderate - F/U	Good	Green	Collect 10 rainfall (within 24-48hrs) samples	13
City of Fremantle/DPaW	Ocean	EV3/711	South Beach	2010-2015	81	60	B	154	36	Moderate - F/U	Good	Green	Collect 10 rainfall (within 24-48hrs) samples	13
City of Fremantle/DPaW	Ocean	EV3/713	Bathers Beach	2010-2015	83	2	A	24	13	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24-48hrs) samples	5
City of Fremantle/DPaW	Ocean	EV3/714	Port Beach	2010-2015	66	8	A	37	14	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24-48hrs) samples	5
City of Fremantle/DPaW	Ocean	EV3/715	Leighton Beach	2010-2015	76	2	A	20	10	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24-48hrs) samples	5



Recreational Waters Bacterial (Enterococci) Monitoring Program Site Status Overview November 2015 - Metropolitan Ocean

LGA/ Managing Authority	Water Body	Site Code	Site Name	Result Years	No. Samples	95th %tile	Microbial Assess Category (MAC)	1-off Trigger Level (99th %tile)	2-in-a-row Trigger Level (90th %tile)	Sanitary Assess Category (SAC)	Provisional Class	Provisional Colour	SAC Status Actions	Min No. Samples Rqd 2015-2016
City of Joondalup	Ocean	EV3/725	Hillarys South Break	2010-2015	84	16	A	55	17	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24-48hrs) & stormwater samples	13
City of Joondalup	Ocean	EV3/731	Pinnaroo Point	2010-2015	86	130	B	499	67	Low	Good	GREEN*		5
City of Joondalup	Ocean	EV3/732	Mullaloo Beach	2010-2015	83	6	A	34	15	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24-48hrs) samples	5
City of Joondalup	Ocean	EV3/736	Burns Beach	2010-2015	72	22	A	90	10	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24-48hrs) samples	13
City of Joondalup	Ocean	EV3/758	Sorrento Beach (Surf Club)	2010-2015	83	3	A	25	13	Moderate - F/U	Good (a)	Green	Collect 10 stormwater drain samples	5
City of Joondalup	Ocean	EV3/765	Key West	2013-2015	44	26	A	140	10	Assessment Required	Not Avail	Green	Provide DoH Sanitary Inspection Report	13
City of Joondalup	Harbour	EV3/766	Ocean Reef Boat Harbour - Platform S	2013-2015	44	85	B	266	44	Assessment Required	Not Avail	Green	Provide DoH Sanitary Inspection Report	13
City of Joondalup	Harbour	EV3/767	Ocean Reef Boat Harbour - Beach	2013-2015	41	135	B	402	68	Assessment Required	Not Avail	Green	Provide DoH Sanitary Inspection Report	13
City of Joondalup	Ocean	EV3/768	Ocean Reef Boat Harbour - Entrance Beach	2013-2015	44	16	A	57	17	Assessment Required	Not Avail	Green	Provide DoH Sanitary Inspection Report	13
City of Joondalup/ DoT	Harbour	EV3/728	Hillarys South Swim	2010-2015	87	115	B	266	59	Moderate - F/U	Good	Green	Collect 10 rainfall (within 24-48hrs) samples	13
City of Joondalup/ DoT	Harbour	EV3/729	Hillarys Centre Swim	2010-2015	88	55	B	123	36	Moderate - F/U	Good	Green	Collect 10 rainfall (within 24-48hrs) samples	13
City of Joondalup/ DoT	Harbour	EV3/730	Hillarys North Swim	2010-2015	88	45	B	474	31	Moderate - F/U	Good	Green	Collect 10 rainfall (within 24-48hrs) samples	13



Recreational Waters Bacterial (Enterococci) Monitoring Program Site Status Overview November 2015 - Metropolitan Ocean

LGA/ Managing Authority	Water Body	Site Code	Site Name	Result Years	No. Samples	95th %tile	Microbial Assess Category (MAC)	1-off Trigger Level (99th %tile)	2-in-a-row Trigger Level (90th %tile)	Sanitary Assess Category (SAC)	Provisional Class	Provisional Colour	SAC Status Actions	Min No. Samples Rqd 2015-2016
City of Kwinana/ DPaW	Ocean	EV3/706	Naval Base	2010-2015	74	16	A	54	17	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24-48hrs) samples	13
City of Kwinana/ DPaW	Ocean	EV3/751	Kwinana Beach	2010-2015	72	28	A	88	21	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24-48hrs) samples	13
City of Nedlands/ DPaW	Ocean	EV3/717	Swanbourne Beach	2010-2015	74	50	B	174	28	Assessment Required	Not Avail	Green	Provide DoH Sanitary Inspection Report	13
City of Rockingham	Ocean	RK3/002	Rockingham Beach	2010-2015	66	185	B	775	96	Low - F/U	Good	Green	Collect 10 rainfall (within 24-48hrs) & stormwater drain samples	13
City of Rockingham	Ocean	RK3/003	Palm Beach Jetty	2008-2015	80	40	A	934	20	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24-48hrs) samples	13
City of Rockingham	Ocean	RK3/005	North Hymus Street	2010-2015	77	75	B	202	40	Moderate - F/U	Good	Green	Collect 10 rainfall (within 24-48hrs) samples	13
City of Rockingham	Ocean	RK3/012	Waikiki Beach	2010-2015	85	14	A	52	17	Low	Very Good	GREEN*	Annual Sanitary Inspection Review	5
City of Rockingham	Ocean	RK3/017	Secret Harbour SLSC	2010-2015	73	20	A	63	21	Low	Very Good	GREEN*	Annual Sanitary Inspection Review	5
City of Rockingham	Ocean	RK3/028	Bent Street Jetty	2012-2015	46	145	B	399	73	Assessment Required	Not Avail	Green	Provide DoH Sanitary Inspection Report	13
City of Rockingham	Ocean	RK3/033	Forrester Rd Drain							Assessment Required	Not Avail		Provide DoH Sanitary Inspection Report	13



Recreational Waters Bacterial (Enterococci) Monitoring Program Site Status Overview November 2015 - Metropolitan Ocean

LGA/ Managing Authority	Water Body	Site Code	Site Name	Result Years	No. Samples	95th %tile	Microbial Assess Category (MAC)	1-off Trigger Level (99th %tile)	2-in-a-row Trigger Level (90th %tile)	Sanitary Assess Category (SAC)	Provisional Class	Provisional Colour	SAC Status Actions	Min No. Samples Rqd 2015-2016
City of Stirling/ DPaW	Ocean	EV3/720	Scarborough Beach	2010-2015	71	2	A	18	10	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24-48hrs) samples	5
City of Stirling/ DPaW	Ocean	EV3/721	Trigg Island	2010-2015	71	6	A	34	16	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24-48hrs) samples	5
City of Stirling/ DPaW	Ocean	EV3/722	Mettams Pool	2010-2015	85	32	A	412	10	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24hrs) samples	13
City of Stirling/ DPaW	Ocean	EV3/723	Hammersley Pool	2010-2015	76	9	A	36	10	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24-48hrs) samples	5
City of Stirling/ DPaW	Ocean	EV3/724	Watermans Beach	2010-2015	58	2	A	31	10	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24-48hrs) samples	5
City of Stirling/ DPaW	Ocean	EV3/755	Scarborough Beach (North)	2010-2015	73	2	A	25	10	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24-48hrs) samples	5
City of Stirling/ DPaW	Ocean	EV3/756	Scarborough Beach (South)	2010-2015	80	2	A	18	12	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24-48hrs) samples	5
City of Stirling/ DPaW	Ocean	EV3/757	South Trigg Beach	2010-2015	71	6	A	37	10	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24-48hrs) samples	5



Recreational Waters Bacterial (Enterococci) Monitoring Program Site Status Overview November 2015 - Metropolitan Ocean

LGA/ Managing Authority	Water Body	Site Code	Site Name	Result Years	No. Samples	95th %tile	Microbial Assess Category (MAC)	1-off Trigger Level (99th %tile)	2-in-a-row Trigger Level (90th %tile)	Sanitary Assess Category (SAC)	Provisional Class	Provisional Colour	SAC Status Actions	Min No. Samples Rqd 2015-2016
City of Wanneroo	Harbour	EV3/737	Mindarie Keys Marina - Rosslare Prom	2014-2015	17	170	B	1231	93	Assessment Required	Not Avail	Green	Provide DoH Sanitary Inspection Report	13
City of Wanneroo	Ocean	EV3/739	Quinns Rock	2010-2015	79	32	A	282	10	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24-48hrs) samples	13
City of Wanneroo	Ocean	EV3/759	Mindarie - Clayton's Beach	2010-2015	80	12	A	41	15	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24-48hrs) samples	13
City of Wanneroo	Ocean	EV3/762	Yanchep Lagoon	2010-2015	98	9	A	35	10	Assessment Required	Not Avail	Green	Provide DoH Sanitary Inspection Report	5
City of Wanneroo	Ocean	EV3/763	Two Rocks - Leemans Landing	2010-2015	98	18	A	1233	10	Assessment Required	Not Avail	Green	Provide DoH Sanitary Inspection Report	13
City of Wanneroo	Ocean	EV3/764	Two Rocks - Sovereign Park	2010-2015	96	2	A	20	10	Assessment Required	Not Avail	Green	Provide DoH Sanitary Inspection Report	5
Town of Cambridge	Ocean	EV3/718	City Beach	2010-2015	60	2	A	23	13	Low	Very Good	GREEN*	Annual Sanitary Inspection Review	5
Town of Cambridge	Ocean	EV3/719	Floreat Beach	2010-2015	73	9	A	40	14	Low	Very Good	GREEN*	Annual Sanitary Inspection Review	5
Town of Cambridge	Ocean	EV3/754	City Beach North	2010-2015	82	26	A	565	13	Low - F/U	Very Good	Green	Collect 10 rainfall (within 24-48hrs) samples	13
Town of Cottesloe	Ocean	EV3/716	Cottesloe Beach	2010-2015	82	34	A	88	27	Low - F/U	Very Good	Green	Collect 10 rainfall (within 24-48hrs) samples	13
Town of Cottesloe/DPaW	Ocean	EV3/753	Cottesloe (North)	2010-2015	81	22	A	126	10	Moderate - F/U	Good (a)	Green	Collect 10 rainfall (within 24-48hrs) samples	13